IEE PROCEEDINGS

Circuits, Devices and Systems

Vol. 149, 2002

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

IEE Proceedings

CIRCUITS, DEVICES AND SYSTEMS

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 149 2002 UK ISSN 1350–2409

HONORARY EDITORS

Prof. P. Groeneveld (*Eindhoven University of Technology*)
Prof. A. K. Ray (*Sheffield Hallam University*)

Pages in issues of *IEE Proc.-Circuits Devices Syst.*, 2002

Pages	Issue No.	Date
1–84	1	February
85–144	2	April
145–204	3	June
205–272	4	August
273–376	5/6	October/ December

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of individual contributions on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $20.00 per copy is paid directly to the Copyright Clearance Center, Inc., 222, Rosewood Drive, Danvers, MA 01923, USA (1350–2409/02 $20.00). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Multiple copying of the content of this publication without permission is always illegal.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

©2002: The Institution of Electrical Engineers

Chief Executive of the IEE: Alf Roberts BSc PhD CEng FIEE FInstP
Publisher: Robin Mellors-Bourne
Managing Editor: Harry Colson; *Editorial Manager*: Ann Thompson; *Editorial Assistant*: Keith Martin

Printed by: Black Bear Press Limited, Cambridge, United Kingdom

Index

IEE Proceedings
Circuits, Devices and Systems

Vol. 149, 2002

Author Index

A

Aldibbiat, N.M. p187
Allstot, D.J. p369
Almaini, A.E.A. p119
Aoki, T. p97
Arapoyanni, A. p154
Arslan, T. p227
Asari, K.V. p167

B

Badard, R. p221
Barker, P. p193
Batcup, S. p257
Boucouvalas, A.C. p193

C

Casajus-Quiros, F.J. p147
Celik-Butler, Z. p23
Chandra, S. p301
Chang, Y.-W. p251
Choi, K. p369
Chrisanthopoulos, A. p154
Chroboczek, J.A. p51
Chung, Y. p136
Connelly, M.J. p173
Coppejans, P. p331
Cornmercon, J.-C. p221
Corral, C.A. p291

D

Dasygenis, M.M. p241
De Cock, W. p331
Deb, A.K. p301
Deen, M.J. p40
Delseny, C. p59
Dundar, G. p205

E

El-Gamal, M.N. p355
Elsaholy, M.S. p212
Elwan, H. p337
Erdogan, A.T. p227

F

Fujisaka, H. p159

G

Gaska, R. p32
Ghassemlooy, Z. p187
Ghibaudo, G. p51
Goh, W.-L. p308
Grant, P.M. p227
Gunes, M. p68

H

Hella, M.M. p363
Henriksson, T. p198
Higuchi, T. p97
Homma, N. p97
Hughes, J.B. p348

I

Igic, P.M. p257
Ismail, M. p337, p363

J

Jarrix, S.G. p59
Jayadeva p301
Johanson, R.E. p68
Jones, B.K. p13

K

Kang, S. p315
Kasap, S.O. p68, p85
Khan, M.A. p32
Kong, Z.-H. p308
Korbel, A. p264
Kurata, R. p159
Kyriakis-Bitzaros, E.D. p234

L

Langmann, U. p264
Lee, K.H. p355
Levinshtein, M.E. p32
Li, Q. p112
Lin, J.-M. p251
Lindquist, C.S. p291
Liu, D. p198

M

Maiti, C.K. p129
Mawby, P.A. p257
McCormick, A.C. p227
McLaughlin, R. p187
Mecking, S. p264
Milne, W.I. p273
Minnis, B.J. p322
Moisiadis, Y. p154
Moore, P.A. p322
Morisue, M. p159

N

Ng, R. p273
Nikolaidis, S. p234
Nordqvist, U. p198

P

Pascal, F. p59
Pasupathy, S. p147
Penarier, A. p59
Popescu, A. p273

R

Ravindran, A. p337
Rhayem, J. p75
Rigaud, D. p59, p75
Riziotis, C. p179
Rowlands, J.A. p85
Rumyantsev, S.L. p32
Rusznyak, A. p218

S

Sakamoto, M. p159
Sali, S. p285
Sanchez-Perez, R. p147
Schulz, T. p264
Senapati, B. p129
Shur, M.S. p32
Simoen, E. p40
Sindhwani, M. p167
Singh, R. p285
Sitdhikorn, R. p348
Soudris, D.J. p241
Spencer, A. p348
Srikanthan, T. p167
Steyaert, M. p331

T

Thanailakis, A.T. p241
Thompson, J.S. p227
Towers, M.S. p257
Trefan, G. p3
Tsang, T.K. p355
Tsiatouhas, Y. p154

U

Udrea, F. p273

V

Valenza, M. p59, p75
Vancorenland, P. p331
Vandamme, L.K.J. p3
Vildeuil, J.C. p59
Vitsas, V. p193

W

Wang, L. p119
Woo, W.L. p285
Worapishet, A. p348

Y

Yeo, K.-S. p308
Yeo, W.-G. p308
Yi, H.-E. p251
Yuan, F. p105
Yuan, J.S. p112
Yurdakul, A. p205

Z

Zervas, M.N. p179
Zhang, Q.-X. p308

AMPLIFIERS

2 GHz controllable power amplifier in standard CMOS process for short-range wireless applications p363
Comparative study of different current mode sense amplifiers in submicron CMOS technology p154
Filtering current mirror p218
High-performance low-power current sense amplifier using a cross-coupled current-mirror configuration p308
Parasitic-aware design and optimisation of RF power amplifiers p369

ANALOGUE ELECTRONICS

Characterisation of substrate noise in FLASH A/D converters p285
Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112
Parasitic-aware design and optimisation of RF power amplifiers p369
VLSI methodology for the design of RNS and QRNS full adder based converters p241

BIOMEDICAL ENGINEERING

Direct-conversion flat-panel X-ray image detectors p85

CAPACITORS

Electrical noise as a reliability indicator in electronic devices and components p13

CIRCUIT COMPONENTS

Electrical noise as a reliability indicator in electronic devices and components p13

CIRCUIT THEORY AND DESIGN

Advanced SPICE modelling of SiGe HBTs using VBIC model p129
Design for optimum classical filters p291
Efficient path-delay fault simulation for standard scan design p315
Efficient sampled-data simulation method for transient analysis of nonlinear circuits p105
Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97
Extraction of extended BSIM3v3.2.2 model card of vertical 130 nm Si p-MOSFET for circuit simulation p264
Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112
Module placement with boundary constraints using B*-trees p251
Optimisation of Reed-Muller PLA implementations p119

CMOS INTEGRATED CIRCUITS

1 mW CMOS polyphase channel filter for Bluetooth p348
2 GHz controllable power amplifier in standard CMOS process for short-range wireless applications p363
CMOS low power baseband chain for a GSM/DECT multistandard receiver p337
Comparative study of different current mode sense amplifiers in submicron CMOS technology p154
Continuous time quadrature band-pass ΔΣ modulator with input mixers p331
Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112
Parasitic-aware design and optimisation of RF power amplifiers p369
Very low-voltage (0.8V) CMOS receiver frontend for 5 GHz RF applications p355

COMMUNICATION SYSTEM THEORY

Envelope-aided DFE equalisers for detection of GMSK with LD demodulation p147
Low power receiver architectures for multi-carrier CDMA p227
Simulation analysis of advanced infrared (Alr) MAC wireless communications protocol p193
Specification of a configurable general-purpose protocol processor p198

COMPUTATIONAL COMPLEXITY

Efficient sampled-data simulation method for transient analysis of nonlinear circuits p105
Optimisation of Reed-Muller PLA implementations p119

COMPUTER COMMUNICATIONS

Specification of a configurable general-purpose protocol processor p198

COMPUTERISED INSTRUMENTATION

Exact analytical model for the AEP of control signals p212

DATA COMMUNICATION

Specification of a configurable general-purpose protocol processor p198

DIELECTRIC MATERIALS AND DEVICES

Experimental 128-kbit ferroelectric memory with 10^{12} endurance and 10-year data retention p136

DIGITAL ARITHMETIC

Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97

DIGITAL ELECTRONICS

Bit-stream signal processing and its application to communication systems p159
Characterisation of substrate noise in FLASH A/D converters p285
Comparative study of different current mode sense amplifiers in submicron CMOS technology p154
Continuous time quadrature band-pass ΔΣ modulator with input mixers p331
Experimental 128-kbit ferroelectric memory with 10^{12} endurance and 10-year data retention p136
High-performance low-power current sense amplifier using a cross-coupled current-mirror configuration p308
Non-complex signal processing in a low-IF receiver for GSM p322

DIGITAL FILTERS

Bit-stream signal processing and its application to communication systems p159
Estimation of bit-level transition activity in data-paths based on word-level statistics and conditional entropy p234

DIGITAL TECHNIQUES

Experimental 128-kbit ferroelectric memory with 10^{12} endurance and 10-year data retention p136
Specification of a configurable general-purpose protocol processor p198

ENGINEERING COMPUTING

Advanced SPICE modelling of SiGe HBTs using VBIC model p129
Efficient path-delay fault simulation for standard scan design p315
Efficient sampled-data simulation method for transient analysis of nonlinear circuits p105
Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97
Exact analytical model for the AEP of control signals p212
Module placement with boundary constraints using B*-trees p251
Specification of a configurable general-purpose protocol processor p198

FILTERS AND FILTERING

1 mW CMOS polyphase channel filter for Bluetooth p348
Continuous time quadrature band-pass ΔΣ modulator with input mixers p331
Design for optimum classical filters p291

FORMAL LOGIC

Optimisation of Reed-Muller PLA implementations p119

IMAGE SENSORS

Direct-conversion flat-panel X-ray image detectors p85

INFORMATION THEORY

Dual header pulse interval modulation for dispersive indoor optical wireless communication systems p187

INSTRUMENTATION AND MEASUREMENT

1/f noise in homogeneous and inhomogeneous media p3
Direct-conversion flat-panel X-ray image detectors p85

INSULATED GATE FIELD EFFECT TRANSISTORS

Analytical modelling for the RESURF effect in JI and SOI power devices p273
Extraction of extended BSIM3v3.2.2 model card of vertical 130 nm Si p-MOSFET for circuit simulation p264
Has SiGe lowered the noise in transistors? p51
Low-frequency noise in deep-submicron metal-oxide-semiconductor field-effect transistors p23
Low frequency noise in thin film transistors p75

INTEGRATED CIRCUITS

Characterisation of substrate noise in FLASH A/D converters p285
Electrical noise as a reliability indicator in electronic devices and components p13
Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112
Parasitic-aware design and optimisation of RF power amplifiers p369
VLSI efficient discrete-time cellular neural network processor p167

LIGHT PROPAGATION

Dual header pulse interval modulation for dispersive indoor optical wireless communication systems p187

LOGIC CIRCUITS

Exact analytical model for the AEP of control signals p212
Optimisation of Reed-Muller PLA implementations p119
VLSI methodology for the design of RNS and QRNS full adder based converters p241

LOGIC DESIGN

Efficient path-delay fault simulation for standard scan design p315
Estimation of bit-level transition activity in data-paths based on word-level statistics and conditional entropy p234
Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97

Exact analytical model for the AEP of control signals p212
Module placement with boundary constraints using B*-trees p251
Optimisation of Reed-Muller PLA implementations p119
VLSI methodology for the design of RNS and QRNS full adder based converters p241

MATHEMATICAL TECHNIQUES

Algorithm for building a neural network for function approximation p301
Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97
Low power receiver architectures for multi-carrier CDMA p227
Module placement with boundary constraints using B*-trees p251
Optimisation of Reed-Muller PLA implementations p119
VLSI methodology for the design of RNS and QRNS full adder based converters p241

MEASUREMENT OF SPECIFIC VARIABLES

1/f noise in homogeneous and inhomogeneous media p3
Low-frequency noise in polysilicon-emitter bipolar transistors p40

MICROPROCESSORS

Estimation of bit-level transition activity in data-paths based on word-level statistics and conditional entropy p234
Fast and efficient algorithm for the multiplierless realisation of linear DSP transforms p205
Specification of a configurable general-purpose protocol processor p198
VLSI efficient discrete-time cellular neural network processor p167

MICROWAVE CIRCUITS

Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112

MOBILE RADIO

CMOS low power baseband chain for a GSM/DECT multistandard receiver p337
Non-complex signal processing in a low-IF receiver for GSM p322

MODULATION

Bit-stream signal processing and its application to communication systems p159
Dual header pulse interval modulation for dispersive indoor optical wireless communication systems p187
Envelope-aided DFE equalisers for detection of GMSK with LD demodulation p147

MODULATORS AND DEMODULATORS

Bit-stream signal processing and its application to communication systems p159
Continuous time quadrature band-pass $\Delta\Sigma$ modulator with input mixers p331
Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112

NEURAL NETWORKS

Algorithm for building a neural network for function approximation p301
VLSI efficient discrete-time cellular neural network processor p167

NUMERICAL ANALYSIS

Algorithm for building a neural network for function approximation p301
Design for optimum classical filters p291
Efficient sampled-data simulation method for transient analysis of nonlinear circuits p105
Fast and efficient algorithm for the multiplierless realisation of linear DSP transforms p205
New physically-based PiN diode compact model for circuit modelling applications p257
Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

OPTICAL COMMUNICATION

Dual header pulse interval modulation for dispersive indoor optical wireless communication systems p187
Simulation analysis of advanced infrared (Alr) MAC wireless communications protocol p193

OPTICAL COMMUNICATION EQUIPMENT

Performance comparison of Bragg grating-based optical add-drop multiplexers in WDM transmission systems p179
Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

OPTICAL COMPUTING

Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

OPTICAL DEVICES

Performance comparison of Bragg grating-based optical add-drop multiplexers in WDM transmission systems p179

OPTICAL IMAGE PROCESSING

VLSI efficient discrete-time cellular neural network processor p167

OPTICAL SWITCHING

Performance comparison of Bragg grating-based optical add-drop multiplexers in WDM transmission systems p179
Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

OPTIMISATION

Algorithm for building a neural network for function approximation p301
Design for optimum classical filters p291
Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97
Module placement with boundary constraints using B*-trees p251
Parasitic-aware design and optimisation of RF power amplifiers p369

OSCILLATORS

Schmitt trigger oscillator and its synchronisation by an external square oscillator p221

PARALLEL PROCESSING

Evolutionary graph generation system with transmigration capability and its application to arithmetic circuit synthesis p97

PATTERN RECOGNITION

VLSI efficient discrete-time cellular neural network processor p167

POWER ELECTRONICS

Analytical modelling for the RESURF effect in JI and SOI power devices p273
New physically-based PiN diode compact model for circuit modelling applications p257

PRODUCTION ENGINEERING

Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

RADIO SYSTEMS

1 mW CMOS polyphase channel filter for Bluetooth p348
2 GHz controllable power amplifier in standard CMOS process for short-range wireless applications p363
Continuous time quadrature band-pass $\Delta\Sigma$ modulator with input mixers p331
Envelope-aided DFE equalisers for detection of GMSK with LD demodulation p147
Linearity analysis and design optimisation for 0.18 μm CMOS RF mixer p112
Low power receiver architectures for multi-carrier CDMA p227
Very low-voltage (0.8V) CMOS receiver frontend for 5 GHz RF applications p355

RELIABILITY

Analytical modelling for the RESURF effect in JI and SOI power devices p273
Electrical noise as a reliability indicator in electronic devices and components p13

SEMICONDUCTOR DEVICE MODELLING

Advanced SPICE modelling of SiGe HBTs using VBIC model p129
Analytical modelling for the RESURF effect in JI and SOI power devices p273
Extraction of extended BSIM3v3.2.2 model card of vertical 130 nm Si p-MOSFET for circuit simulation p264
Has SiGe lowered the noise in transistors? p51
Low-frequency noise in deep-submicron metal-oxide-semiconductor field-effect transistors p23
Low-frequency noise in III-V high-speed devices p59
Low-frequency noise in polysilicon-emitter bipolar transistors p40
Low frequency noise in thin film transistors p75
New physically-based PiN diode compact model for circuit modelling applications p257
Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

SEMICONDUCTOR DEVICES

1/f noise in homogeneous and inhomogeneous media p3
Advanced SPICE modelling of SiGe HBTs using VBIC model p129
Analytical modelling for the RESURF effect in JI and SOI power devices p273
Electrical noise as a reliability indicator in electronic devices and components p13
Has SiGe lowered the noise in transistors? p51
Low frequency and 1/f noise in wide-gap semiconductors: silicon carbide and gallium nitride p32
Low-frequency noise in III-V high-speed devices p59
Low-frequency noise in polysilicon-emitter bipolar transistors p40
New physically-based PiN diode compact model for circuit modelling applications p257

SEMICONDUCTOR LASERS

Wideband dynamic numerical model of a tapered buried ridge stripe semiconductor optical amplifier gate p173

SEMICONDUCTOR MATERIALS

Low frequency and 1/f noise in wide-gap semiconductors: silicon carbide and gallium nitride p32
Noise in hydrogenated amorphous silicon p68

SIGNAL PROCESSING

Bit-stream signal processing and its application to communication systems p159
Non-complex signal processing in a low-IF receiver for GSM p322

STATISTICAL ANALYSIS

Exact analytical model for the AEP of control signals p212

SWITCHING THEORY

Optimisation of Reed-Muller PLA implementations p119

TELECOMMUNICATION

CMOS low power baseband chain for a GSM/DECT multistandard receiver p337
Specification of a configurable general-purpose protocol processor p198